



**TOOLGAL**  
*Innovative Diamond Tools*

GRINDING WHEELS CATALOGUE



[www.toolgal.com](http://www.toolgal.com)





**TOOLGAL**  
*Innovative Diamond Tools*

**Israel**

Toolgal Head Office, Degania "A" 15120 Israel  
Orit Korin  
Tel: 00-972 4 6608014  
Fax: 00-972 4 6752620  
E-Mail: oritk@toolgal.com  
Site: www.toolgal.com

**Germany**

Yaron Sheffy, Rosmar Strasse 65  
Tel: 00-49-22 34271749  
Fax: 00-49-22 34273772  
E-Mail: ysheffy@t-online.de  
Skype: ysheffy

**Switzerland**

**HOZO GmbH**  
Maschinen-Schleifmittel  
Dorfstrasse 22  
3436 Zollbrück  
Tel: +41 34 496 72 18  
Fax: +41 34 496 72 51  
E-mail: info@hozo-schleifmittel.ch

**Hungary**

**Tool-World Kft**  
Stracz Peter , 7666 Pogány, Templom köz 5.  
Tel: 00-36 30 9082939  
E-Mail: peter.stracz@tool-world.hu

**Netherlands**

**A one Industrial Diamond & C.B.N**  
Yossi Shemesh , Amstelveen Turfschip 3 1186XA  
Tel: 00-31 207851173  
Fax: 00-31 848675666  
E-Mail:yossi@aoneindustrial.com  
Skype: yshe999

**Poland , Czech Republic, Slovakia**

**WEZA Aleksander Zak**  
Alek ,Chorzow ul.Niedziedziniec 14F/4, 41506  
Tel: 00-48 48515145990  
E-Mail: biuro@weza.pl

**Spain**

**Pomdi HERRAMIENTAS DE DIAMANTE, S. A.**  
Alberto Oliva , MECO Cº de Villanueva, 20 28880  
Tel: 00-34 91 8860061  
Fax: 00-34 91 8860086  
E-Mail: aoliva@pomdi.com  
Site: www.pomdi.com

**Russian Federat**

**OOO Intehnika**  
Godovikova Str., 9, block 25, Moscow 129085  
Tel.: 00-7 495 560 4888  
Fax: 00-7 495 560 4999

**Thailand**

**KNK INTECH CO.,LTD.**  
Mr. Nattana Kregnavakul ,Bangna Bangkok  
111/47 Soi Lasal 32 10260  
Tel: 00-662 7493122  
Fax: 00-662 749 3828  
E-Mail: nattana@knkintech.com

**United States**

**TOOLGAL USA INDUSTRIAL CORP**  
David Ginzburg, Elberton Georgia 283 A Tribble  
St 30635  
Tel: 00-17 062839556  
Fax: 00-1706 283 9558  
E-Mail: ginzburgd@toolgalusa.com  
Site: www.toolgal.com

# Table of Contents

Company Profile.....	6
General Information.....	7
General Safety Rules.....	8
FEPA Sdandard.....	9
Application Guide.....	1 3
<b>Straight Wheels</b> .....	<b>2 5</b>
1A1.....	2 6
14A1&3A1.....	2 7
1V1.....	2 8
3V1&14V1.....	29
4A9 & 4V9 Geometrical Reinforced Narrow Ring .....	30
1F1,3F1 & 14F1.....	31
1E1, 3E1 & 14E1.....	32
9A3.....	33
1A1 Centerless.....	34
1A1R.....	35
<b>Cup Wheels</b> .....	<b>37</b>
11V9.....	38
11A2.....	39
11A9.....	40
11V5.....	41
12V9.....	42
12A2 V20°-V45° .....	43
12A9.....	44
12V5.....	45
4V2.....	46
4A2.....	47
4BT9.....	48
6A2.....	49
6A9.....	50
<b>Wheels For Inserts Grinding</b> .....	<b>51</b>
Inserts.....	52
<b>Grinding Wheels for Saws</b> .....	<b>53</b>
12V9.....	54
4V2.....	55
6A2.....	56
6AA2.....	57
VOLD 9.....	58
14F1 Loroeh, Tempo & Schmidt Machins.....	59
<b>Truing &amp; Dressing Guide</b> .....	<b>61</b>



# COMPANY PROFILE

---

“**Toolgal Diamond Wheels**” is a division of the Toolgal Group. (See [www.toolgal.com](http://www.toolgal.com)), located in Kibbutz Degania 'A', Israel Founded in the early 60s.

Toolgal is made up of 3 Divisions:

1. Diamond, Cutting, Drilling & Polishing tools and segments for stone and construction (Concrete and Asphalt).
2. Diamond chain saw.
3. Grinding Wheels for hard metal and steel tools industry.

Toolgal Diamond Wheels is an experienced manufacturer of High Quality Diamond and Borazon grinding wheels.

Toolgal supplies the wheels for several applications mainly:

- Carbide Round tools on CNC machines: Flute Grinding, Gash Grinding, end facing, Clearance angle Cylindrical grinding.
- Insert grinding for machines such as: AGATHON, WENDT, HAAS, WAIDA and EWAG.
- Woodworking saws and tools.
- HSS tools.
- Cut off wheels.
- Many more which can be found in our catalogue.

Among Toolgal's customers' you can find top Carbide and HSS tools manufacturer such as ISCAR and IMC group, Vargus and Kennametal.

The wheels are sold to the domestic market and are exported to many countries in Europe, America and the Far East.

Toolgal acquired a highly respected reputation in the last 40 years for:

- Production High Quality products
- Full 'In House' control along the entire production process ("Powder to Product")
- Devoted customer service, by identifying customer needs and developing tools accordingly.
- Cooperation with our distributors for identifying the market's ever changing needs.
- Cooperation with the Israeli government Chief Scientist Office for special R&D projects.
- Hand on - customer technical support.



# GENERAL INFORMATION

---

## STORAGE

Diamond and CBN grinding wheels should be carefully stored in original package, keep core oiled.

## MACHINES

Machines should be in good working condition, well maintained and free of vibration. Special attention should be given that the spindle runs true and that the spindle bearings are in good condition.

## WHEEL MOUNTING

After cleaning and checking the mounting arbor and flange, the wheel should be running true to within 0.02 mm.

## COOLANT

- synthetic oil - Most popular
- emulsion (water based)

Water with rust inhibitor added is sufficient for diamond grinding wheels. The life of CBN grinding tools can be recommended by significantly increased by using pure oil. In any case an emulsion with an oil concentration as manufacturer should be used.

## CUTTING FLUIDS

Cutting fluids should be used whenever possible while using diamond wheels to reduce the heat generated by grinding and extend the wheel's life. If it is necessary to grind dry a corret resin-bond wheel should be used.

## COOLANT FLOW

The best cooling effects is achieved when the outlet speed of the cooling lubricant is adapted to the peripheral speed of the grinding wheel, and the nozzle opening is only slightly wider than the grinding rim.

A small trickle of coolant occasionally applied is better than no coolant at all. This causes alternate heating and quenching, which can cause damage to the diamond wheel and carbide tools.





# GENERAL SAFETY RULES

---

- 1.** Always strictly follow the safety rules prescribed for Toolgal tools as well as the instructions for the use of machines and/or electrical tools.  
Always strictly keep to safety rules issued by organization responsible for the prevention of accidents.
- 2.** To avoid risks associated with the use of rotating tools it is strongly recommended to use the utmost caution and concentration when working.
- 3.** Always wear correctly sized gloves that allow the sensitivity necessary to operate the tool correctly and give adequate protection in the event of the blade being touched during use.
- 4.** Install only tools in perfect condition that are recommended for the material to be worked and that are suitable for the type of machine used.
- 5.** Do not use cracked or deformed tools.
- 6.** Check that the balancing, keying and centering of rotary tools is carried out correctly.
- 7.** Mount the tool correctly using the proper tightening and adjustment devices.
- 8.** Remove all tightening and adjustment devices before use.
- 9.** Check that the tool rotates in the correct direction.
- 10.** Always use safety glasses or protective screens to protect the eyes.
- 11.** The work area and the area around the machine must be free of obstacles.
- 12.** The work area must be properly lit.
- 13.** Before starting any kind of work, install all the safety devices prescribed by the builder of the machine or power tool.
- 14.** The operator must be at least 18 years old and of the minimum age prescribed by the laws in force. They must be adequately trained in the use of the machine or power tool.
- 15.** Avoid using machines or power tools in the event of any illness or physical condition that may reduce reflexes or awareness and increase exposure to risk.
- 16.** Do not use the machine or power tool under the influence of alcohol or drugs.



# FEPA STANDARD

## GRINDING WHEELS SHAPES

Toolgal defines wheel types and dimensions according to the FEPA rules. This catalogue shows the most common shapes and dimensions in accordance with those rules.

To order wheels please refer to the letter in the drawings, as shown on the drawing of the specific wheel you wish to order.

### Sample order for 14A1 wheel:

Type	D	U	X	T	H	Specification
14A1	150	5	3	8	20	

### Sample order for 1E1 wheel:

Type	D	U	X	T	H	Specification
1E1	150	6	2	6	25	

## GRINDING WHEELS COMMON SHAPES DESIGNATIONS


Cod of designation	Outline drawing	Cod of designation	Outline drawing
1A1		1F1	
3A1		3F1	
4A9		14F1	
14A1		1E1	
1V1		3E1	
3V1		14E1	
14V1		1D1	

# FEPA STANDARD

## GRINDING WHEELS COMMON SHAPES DESIGNATIONS

Cod of designation	Outline drawing	Cod of designation	Outline drawing
3D1		11A9	
14D1		11V5	
1L1		12V9	
3L1		12A2	
14L1		12A2	
9A3		12A9	
CENTERLESS		12V5	
		4V2	
1A1R		4A2	
11V9		4BT9	
		14F1	
11A2		14F1	


# FEPA STANDARD




## GRINDING WHEELS COMMON SHAPES DESIGNATIONS

Cod of designation	Outline drawing	Cod of designation	Outline drawing
6A2		6A9	
4V2		12V9	
6A2		6AA2	
VOLD 9		14F1	








## APPLICATION GUIDE

---

# TOOLGAL'S BONDS

## TOOLGAL BONDS ARE DIVIDED INTO 4 MAIN GROUPS:

- **Phenol group** (Toolgal code CB)  
 Pressed with thermal stability - 200°C  
 Main applications: OD, Mini Tools, Cylindrical Grinding
- **Polyimide group** (Toolgal code PI)  
 Pressed with thermal stability - 350°C.  
 Main applications: Inserts grinding, Dry grinding
- **Metal bond group** (Toolgal code HBBM or CR)  
 with thermal stability - 670° C - 800° C  
 Main applications: Groove grinding, Threaded tools, special profiling/shapes
- **Composite group** (Toolgal code RM)  
 Double matrix resin & metal pressed with thermal stability - 350°C  
 Main applications: Fluting, Gashing

Selection assistant for TOOLGAL bond system		
Grinding Wheels	Wear resistance	Recommendations for use
RM6/7		High-performance resin bond for deep grinding, particularly wear-resistant
RM5		High-performance resin bond for flute grinding
PI		More wear-resistant resin bond preferably wet grinding
CB		Standard resin bond for CNC application

## RM SERIES GENERAL GRINDING ADVANTAGES

- Excellent surface quality at maximum feed rate
- Consistent work-piece dimensions for uniformity
- Very low spindle load reduces thermal and mechanical load
- High wear resistance for longer life
- Cost effectiveness
- Wide range fits all types of CNC machines



## FLUTE GRINDING

**RM6/7** Recommended for tough and long production runs Q.W 6.7

**RM5** Recommended for standard production runs Q.W 4

- Low cutting force
- Fast cutting speed
- High feed rate at low load
- Superior surface quality
- Maintains perfect wheel form
- Preserves work-piece core diameter
- Longer intervals between dressing
- Optimal grit size D64 (270#)

## RECOMMENDED CUTTING SPEED

BOND	APPLICATION	MATERIAL	M/S	SFM	FEED RATE	DEPTH OF CUT	QW mm <sup>3</sup> / mm*s
RM 6	Flute	WC	18	3,150-3,550	80-120 mm/min	Up to 4mm	6.7
RM 7	Flute	WC	16	3,150-3,550	80-120 mm/min	Up to 3.6mm	6.7
RM 5	Flute	WC	18	3,150-3,550	80 mm/min	Up to 3.0mm	4



# Qw' Table

$$Qw' = \frac{Ae \cdot F}{60}$$

Qw' - specific material removal rate [mm<sup>3</sup>/mm/min]

F - feed rate [mm/min]

Ae - depth of cut [mm]

Toolgal's Wheel can generate the highest Qw' possible.

To maximize the Qw' please follow the recommendation below.

Ae (mm)	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5
40						2.7	3.0	3.3	3.7	4.0	4.3
50					2.9	3.3	3.8	4.2	4.6	5.0	5.4
60				3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.0
80			3.3	4.0	4.7	5.3	6.0	6.7	7.3	8.0	8.7
90		3.0	3.8	4.5	5.3	6.0	6.8	7.5	8.3	9.0	9.8
100	2.5	3.3	4.2	5.0	5.8	6.7	7.5	8.3	9.2	10.0	10.8
120	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	NR	NR
140	3.5	4.7	5.8	7.0	8.2	9.3	10.5	11.7	NR	NR	
160	4.0	5.3	6.7	8.0	9.3	10.7	12.0	NR	NR		
180	4.5	6.0	7.5	9.0	10.5	12.0	NR	NR			
200	5.0	6.7	8.3	10.0	11.7	NR	NR				
F (mm/min)											


■ Non Economic 
 ■ Small Tools 
 ■ Standard Stock Removal 
 ■ High Stock Removal 
 ■ Not Recommended

## GASH

**RM6** Recommended for tough and long production runs

**RM5** Recommended for standard production runs

- Good profile and corner stability
- Fast cutting speed
- Sharp wheel edge
- Optimal grit size: D64 C100 (270#)




## RECOMMENDED CUTTING SPEED

BOND	APPLICATION	MATERIAL	M/S	SFM
RM 6	Gash	WC	22	3,150-3,550
RM 5	Gash	WC	22	3,150-3,550

## CLEARANCE ANGLES (end-face and OD)

**CB4/RM6**

- Ideal for end-face and outside diameter (OD) applications, first and second relief clearance angle
- Exceptional surface quality prevents tool cutting and edge chipping
- Optimal grit size D46 (400#)



## MINI CARBIDE TOOLS

### CB4 or PI


- Perfect edge stability
- Good surface finish
- Polished with up to very fine D7 grit(Mirror finishing)



## GROOVE/THREADED TOOLS GRINDING

### Pure Metal HBBM or RM515



Hard bond which keep corner and profile.  
Recommended C100 – C150  
Grit sizes D25 -D126 (760# -140#)



## HSS CIRCULAR TOOLS GRINDING ON CNC MACHINES THE 9 SERIES

<b>RM921G</b>	for fluting
<b>RM901</b>	for fluting
<b>RM944</b>	for gashing
<b>CB951</b>	for OD and End-Face
<b>CB964</b>	CBN wheels for <b>dry</b> grinding applications

## INSERT GRINDING




### CB4 or PI

- Ideal for peripheral grinding of carbide inserts to achieve highly polished surface on MACHINES such as: **WAIDA**, **AGATHON**, **EWAG** and **Wendt**
- Long dressing interval
- Durable with high wear resistance (0.1µm per insert)


- TOOLGAL CB4 or PI
- Gives the wheel long life time
- Gives long interval between dressing
- Gives the inserts excellent finishing Less than 5µm chipping on edge surface maximizes the cost effectiveness of your inserts production

WORKPIECE	BOND	GRIT SIZE
Standard tungsten carbide inserts	CB or PI family High performance resin bond	D35-D54
Polished tungsten carbide inserts		D15-D35


### Shape 11A2B WAIDA




### Shape 11A2B EWAG, COBRON




Shape 11A2B  
EWAG, COBRON




Shape 12A2JT  
AGATHON 350




Shape 12A2JT  
AGATHON 400 PENTA



Shape 11A2H  
WENDT WAC 735  
CENTRO



Shape 11A2H  
WENDT WAC 735  
QUATTRO





# Grain Size Vs. Surface Quality (Ra)

FEPA GRIT		MEAN ROUGHNESS RA ( $\mu\text{m}$ )		SURFACE QUALITY	GRINDING PROCESS
DIAMOND	CBN	DIAMOND	CBN	N	
-	B301	-	2.10	N8	
-	B251	-	1.77	N8-N7	Very Rough Grinding
-	B213	-	1.41	N7	
-	B181	-	1.12	N7-N6	
-	B151	-	0.75	N6	
-	B126	-	0.66	N6	
D181	B107	0.53	0.53	N6-N5	
D151	B91	0.50	0.50	N6-N5	Rough Grinding
D126	B76	0.45	0.45	N6-N5	
D107	B64	0.40	0.40	N5	
D91	B54	0.33	0.33	N5-N4	Semi Finish Grinding
D76	B46	0.25	0.25	N5-N4	
D64	-	0.18	-	N4	
D54	-	0.16	-	N4-N3	Fine Grinding
D46	-	0.15	-	N4-N3	
MD24	-	0.12	-	N3	
MD20	-	0.05	-	N3-N2	Ultrafine Grinding
MD10	-	0.025	-	N2-N1	

	N1	N2	N3	N4	N5	N6	N7	N8
Ra ( $\mu\text{m}$ )	0.025	0.05	0.10	0.2	0.4	0.8	1.60	3.20
Ra ( $\mu\text{m}$ )	0.500	0.80	1.25	2.5	5.0	8.0	16.01	32.0
Ra ( $\mu\text{m}$ )	0.400	0.63	1.00	0.2	4.0	6.3	10.0	16.0

# 1A1R CUT-OFF WHEELS

For wet and dry cutting/slicing of tungsten-carbide and steel parts  
Diameter 75-200 mm



## Specifications:

DIAMOND FOR TUNGSTEN-CARBIDE		CBN FOR HSS/STEEL	
Wet	Dry	Wet	Dry
RM501 D126 C100	PI203 D126 C100	RM901 B126 V240	CB964 B126 V180



# Wood working and saw blades grinding applications

Face grinding – CB475 D46, D600 C100

Side grinding – C470/5


Top (Peripheral) grinding – CB475

Profiling TIGRA CNC– CB331, CB475 ,  
C125-HAND, C100

HSS saw blade grinding (Loroch,  
SCHMIDT TOMPO) – CB971-V240, CB967-V210



Cod of designation	Outline drawing
6A2	
6A9	
4V2	
12V9	
6A2	
6AA2	
VOLD 9	



## ADDITIONAL APPLICATIONS

Cermet grinding – C451, CB352


WC/STEEL grinding – CB967

Crashing wheels- CR bond series

Dry Grinding

WC    CB475, PI202 (C75)



HSS    CB964 (V180), applicable for wet  
grinding applications too



## STRAIGHT WHEELS

---

# 1A1




DØ	T	X		Bonds available				
		X6	X10	Diamond			CBN	
50	6,8,10	•		CB4	RM5	RM6/7	CB9	RM9
75	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
100	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
125	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
150	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
Special 175	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
Special 200	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
special 250	6,8,10,12,15	•	•	CB4	RM5		CB9	RM9
Special 305	6,8,10,12,15	•	•	CB4	RM5		CB9	RM9
Special 350	6,8,10,12,15	•	•	CB4	RM5		CB9	RM9
Special 400	6,8,10,12,15	•	•	CB4	RM5		CB9	RM9
Special 500	6,10,12,15	•	•	CB4	RM5		CB9	RM9


Other dimensions available on request - Please indicate required T ,X and H

**SAMPLE ORDER:**

TYPE	D	U	X	H	Application
1A1	100	6	10	20	





# 14A1 & 3A1



DØ	U	X		Bonds available				
		X6	X10	Diamond			CBN	
50	2,4,5	•		CB4	RM5		CB9	RM9
50	6,8,10	•	•	CB4	RM5	RM6/7	CB9	RM9
75	2,3,4,5	•		CB4	RM5		CB9	RM9
75	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
100	2,3,4,5	•		CB4	RM5		CB9	RM9
100	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
125	2,3,4,5	•		CB4	RM5		CB9	RM9
125	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
150	2,3,4,5	•		CB4	RM5		CB9	RM9
150	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
Special 175	6,8,10,12,15	•	•	CB4	RM5		CB9	RM9
Special 200	6,8,10,12,15	•	•	CB4	RM5		CB9	RM9
special 250	6,8,10,12,15	•	•	CB4	RM5		CB9	RM9
Special 305	6,8,10,12,15	•	•	CB4	RM5		CB9	RM9
Special 350	6,8,10,12,15	•	•	CB4	RM5		CB9	RM9
Special 400	6,8,10,12,15	•	•	CB4	RM5		CB9	RM9
Special 500	6,10,12,15	•	•	CB4	RM5		CB9	RM9

Other dimensions available on request - Please indicate required U ,X and H

# 1V1




DØ	T	X		Bonds available				
		X6	X10	Diamond			CBN	
50	6,8,10	•	•	CB4	RM5	RM6/7	CB9	RM9
75	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
100	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
125	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
150	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
Special 175	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
Special 200	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9

Other dimensions available on request - Please indicate required T ,X,V and H  
Toolgal determine angle inside the ring



SAMPLE ORDER:

TYPE	D	U	X	V°	H	Application
1V1	100	6	10	45	20	





# 3V1 & 14V1





DØ	U	X		Bonds available				
		X6	X10	Diamond			CBN	
50	2,4,5	•		CB4	RM5		CB9	RM9
50	6,8,10	•	•	CB4	RM5	RM6/7	CB9	RM9
75	2,3,4,5	•		CB4	RM5		CB9	RM9
75	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
100	2,3,4,5	•		CB4	RM5		CB9	RM9
100	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
125	2,3,4,5	•		CB4	RM5		CB9	RM9
125	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
150	2,3,4,5	•		CB4	RM5		CB9	RM9
150	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9
Special 175	6,8,10,12,15	•	•	CB4	RM5		CB9	RM9
Special 200	6,8,10,12,15	•	•	CB4	RM5	RM6/7	CB9	RM9

Other dimensions available on request - Please indicate required U ,X,V and H



# 4A9 & 4V9

## Geometrical Reinforced Narrow Ring




DØ	U	X	Bonds available			
			Diamond		CBN	
50	0.8, 1, 1.5, 2, 2.5, 3	X6	CB4	RM5	CB9	RM9
75	0.8, 1, 1.5, 2, 2.5, 3	•	CB4	RM5	CB9	RM9
75	0.8, 1, 1.5, 2, 2.5, 3	•	CB4	RM5	CB9	RM9
100	0.8, 1, 1.5, 2, 2.5, 3	•	CB4	RM5	CB9	RM9
125	0.8, 1, 1.5, 2, 2.5, 3	•	CB4	RM5	CB9	RM9
150	0.8, 1, 1.5, 2, 2.5, 3	•	CB4	RM5	CB9	RM9


Other dimensions available on request - Please indicate required T X and H

**SAMPLE ORDER:**

TYPE	D	U	X	V°	H	Application
4A9 & 4V9	100	1	6	If needed	20	



# 1F1 , 3F1 & 14F1





DØ	U	X		Bonds available				
		X6	X10	Diamond			CBN	
100	2,3,4,5	•		CB4	RM5		CB9	RM9
100	6,8,10,12,15,20	•	•	CB4	RM5	RM6/7	CB9	RM9
125	2,3,4,5	•		CB4	RM5		CB9	RM9
125	6,8,10,12,15,20	•	•	CB4	RM5	RM6/7	CB9	RM9
150	2,3,4,5	•		CB4	RM5		CB9	RM9
150	6,8,10,12,15,20	•	•	CB4	RM5	RM6/7	CB9	RM9
175	2,3,4,5	•		CB4	RM5		CB9	RM9
175	6,8,10,12,15,20	•	•	CB4	RM5		CB9	RM9
200	1.8,2,3,6	•		CB4	RM5		CB9	RM9
200	1.8,2,3,6	•	•	CB4	RM5		CB9	RM9

Other dimensions available on request - Please indicate required U X and H

## SAMPLE ORDER:

TYPE	D	U	X	H	T	R	Application
3F1	175	3	6	20	14	1.5	

# 1E1, 3E1 & 14E1




DØ	U	X		Bonds available				
				Diamond			CBN	
100	2,3,6,10	6,8,10	HBBM	CB4	RM5	RM6	CB9	RM9
125	2,3,6,10	6,8,10	HBBM	CB4	RM5	RM6	CB9	RM9
150	2,3,6,10	6,8,10	HBBM	CB4	RM5	RM6	CB9	RM9
175	2,3,6,10	6,8,10	HBBM	CB4	RM5	RM6	CB9	RM9
200	2,3,6,10	6,8,10	HBBM	CB4	RM5	RM6	CB9	RM9



Other dimensions available on request - Please indicate required U ,X, V and H  
Toolgal determine angle inside the ring

## SAMPLE ORDER:

TYPE	D	U	X	V°	H	application
1E1	125	10	10	30	20	



# 9A3





DØ	U	X	Bonds available			
			Diamond		CBN	
100	6,10	3,4,5	CB4	RM5	CB9	RM9
125	6,10	3,4,5	CB4	RM5	CB9	RM9
150	6,10	3,4,5	CB4	RM5	CB9	RM9
175	6,10	3,4,5	CB4	RM5	CB9	RM9
200	6,10	3,4,5	CB4	RM5	CB9	RM9

Other dimensions available on request - Please indicate required U1,U2 , X and H

**SAMPLE ORDER:**


TYPE	D	U1	U2	X	T	H	Application
9A3	175	6	4	6	14	1.5	

# 1A1 CENTERLESS





			Bonds available
DØ	T	X	Diamond
305	101.6 , 150, 205	6	CB
350	101.6 ,150, 205	6	CB
400	101.6 ,150, 205	6	CB
450	101.6,150, 205	6	CB

Other dimensions available on request - Please indicate required U X and H



# 1A1R




DØ	U	X	Bonds available		
			Diamond		CBN
75	1.2	6	CB	RM5	CB9
100	1.2	6	CB	RM5	CB9
125	1.2	6	CB	RM5	CB9
150	1.2	7	CB	RM5	CB9
200	1.4	7	CB	RM5	CB9
250	1.6	5.5	CB	RM5	CB9

Other dimensions available on request - Please indicate required W X and H

## SAMPLE ORDER:

TYPE	D	T	X	H	Application
1A1R	100	1.5	7.5	20	









## CUP WHEELS

---

# 11V9




DØ	U	X	Bonds available				
			Diamond			CBN	
50	2,3	10	CB	RM5	RM6	CB9	RM9
75	2,3	10	CB	RM5	RM6	CB9	RM9
100	2,3	10	CB	RM5	RM6	CB9	RM9
125	2,3	10	CB	RM5	RM6	CB9	RM9
150	2,3	10	CB	RM5	RM6	CB9	RM9


Other dimensions available on request - Please indicate required W X and H

**SAMPLE ORDER:**

TYPE	D	W	X	H	T	V	Application
11V9	100	3	10	20	35	70°	



# 11A2





DØ	W	X	Bonds available				
			Diamond			CBN	
50	2,4,6	6	CB	RM5	RM6	CB9	RM9
75	2,4,6	6	CB	RM5	RM6	CB9	RM9
100	4,6	6	CB	RM5	RM6	CB9	RM9
125	4,6	6	CB	RM5	RM6	CB9	RM9
150	4,6	6	CB	RM5	RM6	CB9	RM9

Other dimensions available on request - Please indicate required W, X and H

**SAMPLE ORDER:**

TYPE	D	W	X	T	H	Application
11A2	100	6	3	26	20	

# 11A9




DØ	U	X	Bonds available				
			Diamond			CBN	
50	6	6	CB	RM5	RM6	CB8	RM9
75	6	6	CB	RM5	RM6	CB9	RM9
100	6	6	CB	RM5	RM6	CB9	RM9
125	6	6	CB	RM5	RM6	CB9	RM9
150	6	6	CB	RM5	RM6	CB9	RM9



Other dimensions available on request - Please indicate required U and X "H"

**SAMPLE ORDER:**

TYPE	D	U	X	T	H	S	Application
11A9	125	6	6	25	20	20	



# 11V5




DØ	W	X	Bonds available				
			Diamond			CBN	
75	4,6	6	CB	RM5	RM6	CB9	RM9
100	4,6	6	CB	RM5	RM6	CB9	RM9
125	4,6	6	CB	RM5	RM6	CB9	RM9
150	4,6	6	CB	RM5	RM6	CB9	RM9

Other dimensions available on request - Please indicate required W, X, V and H

## SAMPLE ORDER:

TYPE	D	W	X	T	V°	H	Application
11V5	100	10	6	35	30	20	

# 12V9




DØ	W	X	Bonds available				
			Diamond			CBN	
50	2, 3	10	CB	RM5	RM6	CB9	RM9
75	2, 3	10	CB	RM5	RM6	CB9	RM9
100	2, 3	10	CB	RM5	RM6	CB9	RM9
125	2, 3	10	CB	RM5	RM6	CB9	RM9
150	2, 3	10	CB	RM5	RM6	CB9	RM9



Other dimensions available on request - Please indicate required U X and H

SAMPLE ORDER:

TYPE	D	W	X	T	H	V STANDART	Application
12V9	100	3	10	35	20	70	



# 12A2 V20° or V45°





DØ	W	X	Bonds available				
			Diamond			CBN	
50	2,4,6	6	CB	RM5	RM6	CB9	RM9
75	2,4,6	6	CB	RM5	RM6	CB9	RM9
100	,4,6	6	CB	RM5	RM6	CB9	RM9
125	4,6	6	CB	RM5	RM6	CB9	RM9
150	4,6	6	CB	RM5	RM6	CB9	RM9

Other dimensions available on request - Please indicate required W ,X and H

## SAMPLE ORDER:

TYPE	D	W	X	T	H	V	Application
12A2	125	10	3	26	20	45°	

# 12A9




DØ	U	X	Bonds available				
			Diamond		CBN		
50	6	6	CB	RM5	RM6	CB9	RM9
75	6	6	CB	RM5	RM6	CB9	RM9
100	6	6	CB	RM5	RM6	CB9	RM9
125	6	6	CB	RM5	RM6	CB9	RM9
150	6	6	CB	RM5	RM6	CB9	RM9

Other dimensions available on request - Please indicate required U X and H



SAMPLE ORDER:

TYPE	D	U	X	T	H	S	Application
12A9	125	10	3	26	20	45°	





# 12V5




DØ	W	X	Bonds available				
			Diamond			CBN	
75	4,6	6	CB	RM5	RM6	CB9	RM9
100	4,6	6	CB	RM5	RM6	CB9	RM9
125	4,6	6	CB	RM5	RM6	CB9	RM9
150	4,6	6	CB	RM5	RM6	CB9	RM9

Other dimensions available on request - Please indicate required W X V and H

## SAMPLE ORDER:

TYPE	D	W	X	T	V	H	Application
12A5	125	10	3	26	45°	20	

# 4V2




DØ	W	X	Bonds available				
			Diamond			CBN	
75	3,6,10	6	CB	RM5	RM6	CB9	RM9
100	3,6,10	6	CB	RM5	RM6	CB9	RM9
125	3,6,10	6	CB	RM5	RM6	CB9	RM9
150	3,6,10	6	CB	RM5	RM6	CB9	RM9



Other dimensions available on request - Please indicate required W X V and H

SAMPLE ORDER:

TYPE	D	W	X	T	H	V	Application
4V2	100	10	3	25	20	20	



# 4A2





DØ	W	X	Bonds available		
			Diamond		
75	3,6,10	6	CB	RM5	RM6
100	3,6,10	6	CB	RM5	RM6
125	3,6,10	6	CB	RM5	RM6
150	3,6,10	6	CB	RM5	RM6

Other dimensions available on request - Please indicate required W X and H

TYPE	D	W	X	H	T	V	Application
4A2	125	5	3	20	10	15°	

# 4BT9




DØ	W	X	Bonds available				
			Diamond			CBN	
75	3,6,10	1,3,6	CB	RM5	RM6	CB9	RM9
100	3,6,10	1,3,6	CB	RM5	RM6	CB9	RM9



Other dimensions available on request - Please indicate required W X V and H

SAMPLE ORDER:

TYPE	D	W	X	V	H	Application
4BT9	100	10	3	20	20	



# 6A2





DØ	W	X
75	3,6,10	6
100	3,6,10	6
125	3,6,10	6
150	3,6,10	6
150	4,6	6

Other dimensions available on request - Please indicate required W X and H

## SAMPLE ORDER:

TYPE	D	W	X	H	E	Application
6A2	75	10	3	20	10	

# 6A9




DØ	U	X
50	3,6,10	6
75	3,6,10	6
100	3,6,10	6
125	3,6,10	6
150	3,6,10	6

Other dimensions available on request - Please indicate required U X and H

SAMPLE ORDER:


TYPE	D	U	X	T	E	H	Application
6A9	125	10	3	25	10	20	



## WHEELS FOR INSERTS GRINDING


---

# INSERTS




**Machine: WAIDA**

D	W	X	T	H
200	6, 8, 10, 12	6	45	60




**Machine: AGATHON 350**

D	W	X	T	H
350	6, 8, 10, 12, 15	6	27	300




**Machines: EWAG, COBRON**

D	W	X	T	H
200	6, 8, 10, 12	6	60	50




**Machine: AGATHON 400 PENTA**

D	W	X	T	H
400	6, 8, 10, 12, 15	6	28	340




**Machines: EWAG, COBRON**

D	W	X	T	H
200	6, 8, 10, 12	6	70	50



**Machine: WENDT WAC 735 CENTRO**


D	W	X	T	H
400	6, 8, 10, 12, 15	6	39	336



**Machine: WENDT WAC 735 QUATTRO**

D	W	X	T	H
400	6, 8, 10, 12, 15	6	39	355







## GRINDING WHEELS FOR SAWS

---

# 12V9




			Bonds available
$D\phi$	$W$	$X$	Diamond
125	2	3.5	CB4
150	2	3.5	CB4
200	2.5	3	CB4

Other dimensions available on request - Please indicate required  $W$   $X$  and  $H$

TYPE	D	W	X	T	H	V	Application
12V9	100	10	3	25	20	20	



# 4V2




			Bonds available
DØ	W	X	Diamond
125	4	2	CB4
200	4	2	CB4

Other dimensions available on request - Please indicate required W X V and H

## SAMPLE ORDER:

TYPE	D	W	X	V	H	Application
4V2	100	10	3	30	20	

# 6A2




			Bonds available
D	W	X	Diamond
125	5	6	CB4



Other dimensions available on request - Please indicate required W X and H

SAMPLE ORDER:

TYPE	D	W	X	H	Application
6A2	125	5	6	35	



# 6AA2





			Bonds available
DØ	X1,X2	U	Diamond
100	5+5	10	CB4
125	2.5+2.5	10	CB4

Other dimensions available on request - Please indicate required U X and H

## SAMPLE ORDER:

TYPE	D	W	X	H	Application
6AA2	125	2.5+2.5	10	32	

# vold 9




			Bonds available
DØ	W	X	Diamond
80	5	4	CB
100	5	4	CB


Other dimensions available on request - Please indicate required W X and H

SAMPLE ORDER:

TYPE	D	W	X	H	Application
vold 9	75	10	3	20	



# 14F1 Loroach, Tempo & Schmidt



D	U	X	Bonds available		
			Diamond		CBN
200	0.8, 1, 2, 3	6,10	CB4	RM5	CB9

Other dimensions available on request - Please indicate required W X and H

## SAMPLE ORDER:

TYPE	D	W	X	H	Application
14F1	200	3	6/9	32	







TRUING & DRESSING GUIDE

## TRUING OF RM FLUTING WHEEL

- “Truing” primarily means to create a perfectly round and true running grinding wheel
- Truing is done by using a grinding machine and an abrasive wheel that the bond of the diamond wheel
- Recommended abrasive wheel:
  - Silicon Carbide (green) or Aluminum Oxide (White or Pink)
  - Grit size , 80-120 mesh
  - Hardness I, J or K
- Cutting (rotating) speed
  - Diamond wheel 200-1,000 SFM (1-5 m/s) => 400-700 RPM for Ø3-6” Diamond wheel
  - Dressing wheel 2,400-5,000 SFM (12-25 m/s) => 2,000 RPM for Ø8” Dressing wheel
- Oscillation rate: 8-10 IPM (inch per minute)

# DEFINITION OF TRUING WHEEL

## Wheel specification

(US Mesh) Sieve Size No	Size No. (µm)
60	D251
70	D216
80	D181
100	D151
120	D126
140	D107
170	D91
200	D76
230	D64
270	D54
325	D46
400	D39
500	D33

**125 x 17 x 31.8**

**Brand name**

**Safety standard** → **EN 12413**

**Wheel dimensions** → **125 x 17 x 31.8**

**Wheel specifications** → **RA 60 K7V T-5**

**Batch No** → **No. 79016**

**MAX R.P.M 5260-35 M/S**

**WARNING: SAFETY FIRST!! BEFOR EMOUNTING READ SAFETY**

**RA** Abrasive   **60** Grain size   **K** Grade   **7** Structure   **V** Bond   **T-5** Type (P= profile)

The grit size of a truing wheel presented in MESH compered to diamond wheel grit size presented in MICRONS

## Definition of truing wheel

Abrasive	Grain Size
A Brown Aluminium Oxide	Coarse 24, 30, 36
BAS High performance Aluminium Oxide	Medium 46, 54, 60
WA White Aluminium Oxide	Fine 80, 100, 120, 150
WAB White Aluminium Oxide+Blue Bond	Very Fine 180, 220, 240
WAR White Aluminium Oxide+Red Bond	Grade
WAY White Aluminium Oxide+Yellow Bond	Soft B, C, D, E, F, G, H
WAG White Aluminium Oxide+Special Bond I	Medium I, J, K, L
WAP White Aluminium Oxide+Special Bond II	Hard M, N, O, P, Q
WAL Special grain and bond for improved surface integrity	Structure
PA Pink Aluminium Oxide	Medium/Standard Open/Porous
RA Ruby Aluminium Oxide	6 7 8 9   10 11 12 13 14 15
AS1 10% Ceramic Aluminium Oxide	Bond
AS3 30% Ceramic Aluminium Oxide	V Vitrified
AS5 50% Ceramic Aluminium Oxide	B Resinoid
DA White and Brown Aluminium Oxide	BF Reinforced Resinoid
SA Semi-friable Aluminium Oxide	
HA Monocrystal Aluminium Oxide	
KA Bubble alumina	
GC Green Silicon Carbide	
C Black Silicon Carbide	

## Dressing of RM fluting wheel

- “**Dressing**” primarily means to clean the surface of the diamond wheel and expose the diamond grits
- Dressing is usually done by using a soft dressing stick with fine grits
- It is done by pushing the dressing stick firmly into the diamond wheel, few times, until the wheel sinks into the stick
- Recommended dressing stick:
  - **Aluminum Oxide (White)**
  - Grit size , **240-320 mesh**
  - Hardness **G or H**
- Dressing should be done right after the truing and in any time that the wheel is clogged and generating more load
- During the dressing process the diamond wheel should rotate in the same direction and speed as it is normally used

## Dressing of D54/64 RM WHEELS Abrasive wheel/stick selection

GRIT SIZE												FINER →		
	80	100	120	150	180	200	220	240	280	320				
TRUING														
DRESSING														
BOND HARDNESS												HARDER →		
	F	G	H	I	J	K								
TRUING														
DRESSING														



► Toolgal Standard


# TOOLGAL RM DRY Truing

- Recommended abrasive wheel:
  - Silicon Carbide (green) or Aluminum Oxide (White or Pink)
  - Grit size 80-120 mesh
  - Hardness I, J or K
  - D64-D46 = PA 120 J8V , GC 120 J7V
  - D91-D64 = PA 80 J8V



Speed ratio: The ratio of dresser surface speed divided by wheel surface speed

UNIDIRECTIONAL Dressing of the Wheel



Recommended working speed		
	"Peripheral Speed (M/s)"	
	Diamond Wheel	Truing Wheel
D	3	20
50	1150	7640
75	760	5090
100	570	3820
125	460	3060
150	380	2550
200	290	1910
250	230	1530
300	190	1270



## GENERAL SELECTION GUIDE FOR DRESSING WHEEL/STICK

“Truing” primarily means to create a perfectly round and true running grinding wheel

Truing Data - Truing Wheel			
Hardness	Grain size	Abrasive	Grain Size of diamond
J ~ L	# 30 ~ 46	GC,C	#~80
I ~ K	# 45 ~ 80	GC,C	#100~180
I ~ K	# 80 ~ 120	GC,C	#220~360
H ~ J	# 120 ~ 220	GC,C	#400~

Dressing Data - Dressing Stick			
Hardness	Grain size	Abrasive	Grain Size of diamond
G ~ H	# 80 ~ 220	GC,WA	#100~180
G ~ H	# 150 ~ 600	GC,WA	#220~400
G ~ H	# 280 ~ 1200	GC,WA	#500~1000
F ~ G	# 600 ~ 2000	GC,WA	#120~2000